

komplus



**PRODUCT
CATALOGUE**

Eco Ball Valve / Eko Küresel Vana

Code	Size	Quantity	Box Size
40020	20 mm (1/2)	100	40x25x24
40025	25 mm (3/4)	80	40x25x24
40032	32 mm (1")	50	40x25x24
40040	40 mm (1 1/4")	32	40x25x24
40045	50 mm (1 1/2")	25	40x25x24



Eco Metal Sleeve Ball Valve

Eko Metal Kol Küresel Vana

Code	Size	Quantity	Box Size
40050	20 mm (1/2)	100	40x25x24
40060	25 mm (3/4)	80	40x25x24
40070	32 mm (1")	50	40x25x24
40080	40 mm (1 1/4")	32	40x25x24



Ball Valve / Küresel Vana

Code	Size	Quantity	Box Size
10020	20 mm (1/2)	100	40x25x24
10025	25 mm (3/4)	80	40x25x24
10032	32 mm (1")	50	40x25x24
10040	40 mm (1 1/4")	32	40x25x24
10050	50 mm (1 1/2")	25	40x25x24
10063	63 mm (2")	12	40x25x24
10075	75 mm (2 1/2")	5	40x25x24



Metal Sleeve Ball Valve

Metal Kol Küresel Vana

Code	Size	Quantity	Box Size
20020	20 mm (1/2)	100	40x25x24
20025	25 mm (3/4)	80	40x25x24
20032	32 mm (1")	50	40x25x24
20040	40 mm (1 1/4")	32	40x25x24



Ball Valve With Double Transition Union Çift Yönlü Küresel Vana

Code	Size	Quantity	Box Size
41020	20 mm (1/2)	80	40x25x24
42025	25 mm (3/4)	60	40x25x24
43032	32 mm (1")	35	40x25x24
44040	40 mm (1 1/4")	20	40x25x24



Radiator Valve Corner

Radyatör Vanası

Code	Size	Quantity	Box Size
10300	20 mm (1/2)	100	40x25x24
10310	25 mm (3/4)	75	40x25x24
10320	25 mm (1/2)	75	40x25x24



Ball Valve Internal Thread

Dişi Küresel Vana

Code	Size	Quantity	Box Size
10220	20 mm (1/2)	100	40x25x24
10225	25 mm (3/4)	80	40x25x24
10232	32 mm (1")	50	40x25x24



Ball Valve External Thread

Erkek Küresel Vana

Code	Size	Quantity	Box Size
10230	20 mm (1/2)	100	40x25x24
10235	25 mm (3/4)	80	40x25x24
10240	32 mm (1")	50	40x25x24



Garden Tap / Bahçe Musluğu

Code	Size	Quantity	Box Size
10350	20 mm (1/2)	75	40x25x24



Garden Tap / Çamaşır Musluğu

Code	Size	Quantity	Box Size
10360	25 mm (1/2)	100	40x25x24



Stop Valve / Kelebek Vana

Code	Size	Quantity	Box Size
30540	20 mm (1/2)	90	40x25x24
30550	25 mm (3/4)	60	40x25x24
30560	32 mm (1")	35	40x25x24



Mini Stop Valve / Mini Vana

Code	Size	Quantity	Box Size
10400	20 mm (1/2)	150	40x25x24
10410	25 mm (3/4)	120	40x25x24
10420	32 mm (1")	70	40x25x24





Patented

Swing Spring Check Valve
Çek Valf

Code	Product Type	Quantity	Box Size
51020	20 mm (1/2)	100	40x25x24
51025	25 mm (3/4)	100	40x25x24
51032	32 mm (1")	90	40x25x24

Single acting check valve that
can be operated horizontally and vertically

Partial Combi Six Connection Set / Kombi Bağlantı Seti

Code	Product Type	Quantity	Box Size
10110	8 Flat Combi Connection Set	36	38x58x34
10120	8 Elbow Boiler Connection Set	36	38x58x34
10130	32 mm 8 Combi Connection Set	36	38x58x34
10140	10 Flat Combi Connection Set	36	38x58x34
10150	10 Pcs. Elbow Boiler Connection Set	36	38x58x34
10160	8 Flat 25 mm Combi Connection Set	36	38x58x34
10170	8 Pcs. External Threaded Combi Connection Set	36	38x58x34
10180	Geyser Connection Set	36	38x58x34



FULL PASS 3 in 1 Combi Set

- Self Elbow
- Valve, Filter and Union Combined
- Full-Pass (No Narrowing)
- Ease of Installation in Narrow Spots
- Time Saving
- Easy Workmanship



Full Pass 3 in 1 Combi Set / Kombi Bağlantı Seti

Code	Product Type	Quantity	Box Size
10100	4 Pcs. Self Elbow Combi Set	36	38x58x34



Nipple Male / Erkek Nipel

Code	Size	Quantity	Box Size
31100	20 mm (1/2)	200	40x25x14
31110	25 mm (3/4)	125	40x25x14
31115	32 mm (1")	100	40x25x14
31120	20 mm (3/4)	125	40x25x14
31125	25 mm (1/2)	100	40x25x14
31130	32 mm (1/2)	100	40x25x14
31135	32 mm (3/4)	100	40x25x14



Nipple Female / Dişi Nipel

Code	Size	Quantity	Box Size
31150	20 mm (1/2)	300	40x25x14
31155	25 mm (3/4)	250	40x25x14
31160	32 mm (1")	100	40x25x14
31165	20 mm (3/4)	200	40x25x14
31170	25 mm (1/2)	100	40x25x14
31175	32 mm (1/2)	100	40x25x14
31180	32 mm (3/4)	100	40x25x14



Elbow Male / Erkek Dirsek

Code	Size	Quantity	Box Size
31250	20 mm (1/2)	250	40x25x24
31255	25 mm (3/4)	150	40x25x24
31260	32 mm (1")	75	40x25x24
31265	20 mm (3/4)	200	40x25x24
31270	25 mm (1/2)	150	40x25x24



Elbow Female / Dişi Dirsek


Code	Size	Quantity	Box Size
31200	20 mm (1/2)	300	40x25x24
31205	25 mm (3/4)	200	40x25x24
31210	32 mm (1")	100	40x25x24
31215	20 mm (3/4)	250	40x25x24
31220	25 mm (1/2)	200	40x25x24



Water Meter Nipple

Su Sayaç Bağlantısı

Code	Size	Quantity	Box Size
31300	3/4 25 mm	150	40x25x14



Valve Body / Vana Altı

Code	Size	Quantity	Box Size
31350	20 mm (1/2)	200	40x25x24
31355	25 mm (3/4)	150	40x25x24
31360	32 mm (1")	75	40x25x24



Movable Nipple Female

Hareketli Nipel

Code	Size	Quantity	Box Size
31400	20x1/2"	200	40x25x24
31405	25x3/4"	150	40x25x24
31410	25x1/2"	100	40x25x24



Elbow Movable Nipple Female

Hareketli Dirsek

Code	Size	Quantity	Box Size
31450	20x1/2"	200	40x25x24
31455	25x3/4"	150	40x25x24



Eco Filter Male / Eko Filtre

Code	Size	Quantity	Box Size
31500	20 mm (1/2")	150	40x25x24
31505	25 mm (3/4")	120	40x25x24



Filter Male / Filtre

Code	Size	Quantity	Box Size
31550	20 mm (1/2")	150	40x25x24
31555	25 mm (3/4")	120	40x25x24
31560	32 mm (1")	70	40x25x24



Double Battery Connection Internal Thread

Çiftli Batarya Bağlantısı

Code	Size	Quantity	Box Size
30110	20 mm	50	40x25x24
30120	25 mm	50	40x25x24



Bidet Connection (WC)

Taharet Bağlantısı

Code	Size	Quantity	Box Size
30140	(20x1/2)	80	40x25x24
30145	(25x1/2)	70	40x25x24



Internal Threaded Battery Connection

Batarya Bağlantısı

Code	Size	Quantity	Box Size
30150	20 mm	200	40x25x24



External Threaded Battery Connection

Erkek Batarya Bağlantısı

Code	Size	Quantity	Box Size
30160	20 mm	150	40x25x24



Transition Union Female

Dişi Oynar Başlı Rekor

Code	Size	Quantity	Box Size
30170	1/2" x 20 mm	250	40x25x24
30180	3/4" x 25 mm	150	40x25x24
30190	1" x 32 mm	100	40x25x24
30210	1 1/4" x 40 mm	50	40x25x24
30220	1 1/2" x 50 mm	40	40x25x24
30230	2" x 63 mm	25	40x25x24



Transition Union Male

Erkek Oynar Başlı Rekor

Code	Size	Quantity	Box Size
30240	1/2" x 20 mm	220	40x25x24
30250	3/4" x 25 mm	120	40x25x24
30260	1" x 32 mm	90	40x25x24
30280	1 1/4" x 40 mm	40	40x25x24
30290	1 1/2" x 50 mm	30	40x25x24
30300	2" x 63 mm	15	40x25x24
30270	1" x 25 mm	100	40x25x24



Adaptor / Kaynak Rekoru

Code	Size	Quantity	Box Size
33330	20 mm (1/2)	150	40x25x24
33340	25 mm (3/4)	100	40x25x24
33350	32 mm (1")	60	40x25x24



Adaptor / Plastik Kaynak Rekoru

Code	Size	Quantity	Box Size
33360	20 mm (1/2)	150	40x25x24
33370	25 mm (3/4)	100	40x25x24
33380	32 mm (1")	60	40x25x24



Tee Female / Dişi Te

Code	Size	Quantity	Box Size
30310	20 - 1/2"	200	40x25x24
30320	25 - 3/4"	125	40x25x24
30330	25 - 1/2"	125	40x25x24
30340	32 - 1"	75	40x25x24



Tee Male / Erkek Te

Code	Size	Quantity	Box Size
30350	20x1/2"	150	40x25x24
30360	25x1/2"	100	40x25x24
30370	25x3/4"	100	40x25x24
30380	32x1"	75	40x25x24



Coupling / Manşon

Code	Size	Quantity	Box Size
50010	20 mm	1800	58x38x34
50020	25 mm	1000	58x38x34
50030	32 mm	700	58x38x34



Elbow 90° / Dirsek 90°

Code	Size	Quantity	Box Size
50040	20 mm	1400	58x38x34
50050	25 mm	800	58x38x34
50060	32 mm	400	58x38x34



Tee / Te

Code	Size	Quantity	Box Size
50070	20 mm	800	58x38x34
50080	25 mm	500	58x38x34
50090	32 mm	350	58x38x34



Inegal Tee / İnegal Te

Code	Size	Quantity	Box Size
50100	25/20/25 mm	500	58x38x34
50110	32/20/32 mm	350	58x38x34
50120	32/25/32 mm	350	58x38x34



Reduction / Redüksiyon

Code	Size	Quantity	Box Size
50130	20 - 25 mm	2000	58x38x34
50140	32 - 20 mm	750	58x38x34
50150	32 - 25 mm	750	58x38x34



End Cap / Kapama Başlığı

Code	Size	Quantity	Box Size
50160	20 mm	2000	58x38x34
50170	25 mm	1500	58x38x34
50180	32 mm	1000	58x38x34



End Plug / Kör Tapa

Code	Size	Quantity	Box Size
50190	20 mm	2000	58x38x34
50200	25 mm	1500	58x38x34



End Plug / Terazî Tapası

Code	Size	Quantity	Box Size
50210	20 mm	1000	58x38x34



Elbow 45° / Dirsek 45°

Code	Size	Quantity	Box Size
50220	20 mm	1200	58x38x34
50230	25 mm	700	58x38x34
50240	32 mm	300	58x38x34



Crossover / Kavis

Code	Size	Quantity	Box Size
50280	20 mm	300	58x38x34
50290	25 mm	200	58x38x34
50300	32 mm	150	58x38x34



C Crossover / C Kavis

Code	Size	Quantity	Box Size
50250	20 mm	750	58x38x34
50260	25 mm	500	58x38x34



Single Clamp / Tekli Kelepçe

Code	Size	Quantity	Box Size
60010	20 mm	5000	38x58x34
60020	25 mm	3500	38x58x34
60030	32 mm	1000	38x58x34



Double Clamp / Çiftli Kelepçe

Code	Size	Quantity	Box Size
60040	20 mm	3500	38x58x34
60050	25 mm	3000	38x58x34
60060	32 mm	1500	38x58x34



Double Clamp / PVC Kelepçe

Code	Size	Quantity	Box Size
60070	50	500	38x58x34
60080	70	250	38x58x34
60090	100	150	38x58x34



Corner Trimmer / Köşe Düzeltici

Code	Size	Quantity	Box Size
60100		300	38x58x34



Double Pipe Fixture / Yer Tespit Dübeli

Code	Size	Quantity	Box Size
60110		5000	38x58x34



U Clip / U Klips

Code	Size	Quantity	Box Size
60120		12500	38x58x34



WELDING RULES FOR PP-R PIPE SYSTEMS

- Welding of PP-R pipe systems should be performed according to DVS rules and with the right equipment.
- Equip the welding machine with suitable size and do not use tools with worn Teflon coverage.
- The welding machine should be turned on and reach the appropriate temperature (260 ± 10 °C).
- Products prepared for welding should be cleaned. Products must be dust-free, oil-free and dry.
- The products to be welded are placed on the welding socket perpendicular to the axis and advanced to the appropriate size. During this process the products should not be turned.
- When processing time is completed the products should be quickly removed without turning.
- After the products are fully combined the cooling times given in the table below must be followed. During this process the products should not be turned.
- The periods given in the table below should be followed during welding process. The process values vary according to the diameters of the products.
- After the application, before the installation is closed with plaster, it is recommended to perform a 24-hours leak test at 1,5-2 times the system pressure.

DURING INSTALLATION OF GEAR PRODUCTS OF PP-R PIPE SYSTEMS

- DO NOT USE FLAX.
- It is recommended to use teflon tape or liquid gasket.
- In the assembly of threaded products, excessive tightening should be avoided

PP-R BORU SİSTEMLERİ İÇİN KAYNAK KURALLARI

- PP-R boru sistemlerinin kaynağı DVS kurallarına göre ve doğru ekipman ile yapılmalıdır.
- Kaynak makinesini uygun ölçü ile donatınız ve teflon kaplaması aşınmış aletler kullanmayınız.
- Kaynak makinesi çalıştırılmalı ve uygun sıcaklığa (260 ± 10 °C) ulaştırılmalıdır.
- Kaynak için hazırlanan ürünler temizlenmelidir. Ürünler tozsuz, yağsız ve kuru olmalıdır.
- Kaynak yapılacak ürünler, kaynak soketine eksene dik olarak yerleştirilerek uygun ölçüye ilerletilir. Bu işlem sırasında ürünler döndürülmemelidir.
- İşleme süresi tamamlandığında ürünler döndürülmeden hızlı bir şekilde çıkarılmalıdır.
- Ürünler tam olarak birleştirildikten sonra aşağıdaki tabloda verilen soğuma sürelerine uyulmalıdır. Bu işlem sırasında ürünler döndürülmemelidir.
- Kaynak işlemi sırasında aşağıdaki tabloda verilen süreler kullanılmalıdır. Proses değerleri ürünlerin çaplarına göre değişiklik göstermektedir.
- Uygulamadan sonra tesisat sıva ile kapatılmadan önce sistem basıncının 1,5-2 katı basınçta 24 saat sızdırmazlık testi yapılması önerilir.

PP-R BORU SİSTEMLERİNİN DIŞLI ÜRÜNLERİNİN MONTAJI SIRASINDA

- KETEN KULLANMAYIN.
- Teflon bant veya sıvı conta kullanılması tavsiye edilir.
- Dişli ürünlerin montajında aşırı sıkımdan kaçınılmalıdır.

WELDING RULES DVS 2207	Pipe Outer Diameter (mm)									
	20	25	32	40	50	63	75	90	110	
Heating duration in sec.	5	7	8	12	18	24	30	35	50	
Processing duration in sec.	4	4	6	6	6	8	10	10	12	
Cooling duration in min.	2	2	4	4	4	6	8	10	10	
DVS 2207	Manuel welding tool					Machine welding				

Equivalent sizes

16 mm = 3/8"	32 mm = 1"	63 mm = 2"
20 mm = 1/2"	40 mm = 1 1/4"	
25 mm = 3/4"	50 mm = 1 1/2"	



Chrome Valve Lüks / Ankastre Vana

Code	Size	Quantity	Box Size
32100	20 mm (1/2)	20	38x58x34
32105	25 mm (3/4)	20	38x58x34



Chrome Valve Lüks / Ankastre Vana

Code	Size	Quantity	Box Size
32110	20 mm (1/2)	20	38x58x34
32115	25 mm (3/4)	20	38x58x34



Chrome Valve Lüks / Ankastre Vana

Code	Size	Quantity	Box Size
32120	20 mm (1/2)	20	38x58x34
32125	25 mm (3/4)	20	38x58x34



**Chrome Valve Lüks
Ankastre Kutulu Vana**

Code	Size	Quantity	Box Size
32130	20 mm (1/2)	12	38x58x34
32135	25 mm (3/4)	12	38x58x34



Chrome Valve Lüks / Lüks Vana

Code	Size	Quantity	Box Size
32140	20 mm (1/2)	75	40x25x24
32145	25 mm (3/4)	50	40x25x24
32150	32 mm (1")	30	40x25x24



Chrome Valve Lüks / Lüks Vana

Code	Size	Quantity	Box Size
32155	20 mm (1/2)	75	40x25x24
32160	25 mm (3/4)	50	40x25x24
32165	32 mm (1")	30	40x25x24



Chrome Valve Lüks / Lüks Vana

Code	Size	Quantity	Box Size
32170	20 mm (1/2)	75	40x25x24
32175	25 mm (3/4)	50	40x25x24
32180	32 mm (1")	30	40x25x24



Chrome Valve Lüks / Lüks Vana

Code	Size	Quantity	Box Size
32185	20 mm (1/2)	75	40x25x24
32190	25 mm (3/4)	50	40x25x24
32195	32 mm (1")	30	40x25x24



Eco Chrome Valve Lüks

Ankastre Kürüsel Vana

Code	Size	Quantity	Box Size
32200	20 mm (1/2)	50	40x25x24
32205	25 mm (3/4)	50	40x25x24



Eco Chrome Valve Lüks


Ankastre Kürüsel Vana

Code	Size	Quantity	Box Size
32210	20 mm (1/2)	50	40x25x24
32215	25 mm (3/4)	50	40x25x24





*We focus on the functionality,
comfort and esthetics of your bathroom*



Extendable Wc Pan Connector Ø100
Çelik Telli Kırüklü Kada 100 mm

Code	Size	Quantity	Box Size
80010	350 mm	30	70x24x57
80015	500 mm	30	70x27x57
80020	600 mm	30	70x41x57
80025	800 mm	30	70x41x57

Extendable Wc Elbow Pan Connector
Dirsekli Çelik Telli Kırüklü Kada 100 mm

Code	Size	Quantity	Box Size
80030	500 mm	22	70x27x57



Extendable Wc Elbow Pan Connector with Ø40 Extra Inlet
Extra Tahliyeli Çelik Telli Kırüklü Kada 40 mm

Code	Size	Quantity	Box Size
80035	500 mm	20	70x27x57

Offset One Piece Eccentric Gasket
Eksantrik Kada

Code	Size	Quantity	Box Size
80840		150	sack



Concealed Cistern Extendable Waste Water Outlet Pipe
Gömme Rezervuar Kadası

Code	Size	Quantity	Box Size
60160	90 x 180	20	38x58x34
60170	90 x 220	20	38x58x34



Shut-Off Sets 110 cm Twistfree 360° Taharetmatik

Code	Detail	Quantity	Box Size
88500	Hand Shower (White-Grey) – White Bracket – 1/2 110 CM White PVC Hose	36	58X38X34
88501	Hand Shower (White-Chrome) – White Bracket – 1/2 110 CM White PVC Hose	36	58X38X34
88502	Hand Shower (White-Grey) – White Bracket – 1/2 110 CM Grey PVC Hose	36	58X38X34
88503	Hand Shower (Grey-Black) – White Bracket – 1/2 110 CM Black PVC Hose	36	58X38X34

Shut-Off Sets 120 cm / Taharetmatik

Code	Detail	Quantity	Box Size
88540	Hand Shower (Chrome-Chrome) – Chrome Bracket – 1/2 120CM Bracket Stainless Hose	36	58X38X34
88541	Hand Shower (Chrome-Grey) – Chrome Bracket – 1/2 120CM Bracket Stainless Hose	36	58X38X34
88542	Hand Shower (Chrome-Black) – Chrome Bracket – 1/2 120CM Bracket Stainless Hose	36	58X38X34
88543	Hand Shower (Chrome-Black) – Chrome Bracket – 1/2 120 CM Grey PVC Hose	36	58X38X34



Hand Shower ABS / Elcik

Code	Detail	Quantity	Box Size
88570	Hand Shower (Chrome-Chrome)	100	58X38X34
88571	Hand Shower (Chrome-Grey)	100	58X38X34
88572	Hand Shower (Chrome-Black)	100	58X38X34




Joint ABS / Mafsal

Code	Detail	Quantity	Box Size
88585	Chrome	500	58X38X34




Hand Shower ABS / Elcik

Code	Detail	Quantity	Box Size
88580	Hand Shower (White-Grey)	100	58X38X34
88581	Hand Shower (White-Chrome)	100	58X38X34
88582	Hand Shower (White-Grey)	100	58X38X34
88583	Hand Shower (Grey-Black)	100	58X38X34



Joint ABS / Mafsal


Code	Detail	Quantity	Box Size
88586	White	500	58X38X34



Overhead Valve ABS

Taharatmatik Vanası

Code	Detail	Quantity	Box Size
88590	White 1/2	36	58X38X34
88591	Chrome 1/2	36	58X38X34
88592	Black 1/2	36	58X38X34





Internal Mechanism / Rezervuar İç Takımı

Code	Size	Quantity	Box Size
80710	Vertical Inlet – 3/8" (Brass)	20	46X62X39
80711	Vertical Inlet – 3/8" (Plastic)	20	46X62X39

Internal Mechanism / Rezervuar İç Takımı

Code	Size	Quantity	Box Size
80720	Horizontal Inlet – 3/8" (Brass)	20	46X62X39
80721	Horizontal Inlet – 3/8" (Plastic)	20	46X62X39



Floater / Flatör

Code	Size	Quantity	Box Size
80730	Brass Floater	50	46X62X39
80731	Plastic Floater	50	46X62X39

Floater / Flatör

Code	Size	Quantity	Box Size
80740	Brass Floater	75	46X62X39
80741	Plastic Floater	75	46X62X39



Toilet Seat Cover / Klozet Kapagı Standart

Code	Size	Quantity	Box Size
80500	Standard	12	46X62X39
80510	Mounting Kit	500	46X62X39


Toilet Seat Cover / Klozet Kapagı Yavaş Kapanır
Suitable for Wall Zero Stones Duvara Sıfır Taşlara Uygun

Code	Size	Quantity	Box Size
80540	Soft Close	12	46X62X39
80530	Mounting Kit	500	46X62X39



Self Cleaning Systems

Taharet Çubuğu



Code	Size	Quantity	Box Size
80800	340 mm	500	38x58x34
80810	290 mm	500	38x58x34
80820	170 mm	750	38x58x34

Chrome Self Cleaning Systems

Taharet Çubuğu

Code	Size	Quantity	Box Size
80830	340 mm	500	38x58x34
80840	290 mm	500	38x58x34
80850	170 mm	750	38x58x34




Gasget / Adaptör Conta

Code	Size	Quantity	Box Size
80870	PVC	500	38x58x34

Troblen Bellows Ø50 / Troblen Körüğü

Code	Size	Quantity	Box Size
70010	30 cm	100	Sack
70020	45 cm	100	Sack
70030	60 cm	100	Sack



Telescopic Pex Concealment Pouch

Petek Altı Gizleme Kılıfı

Code	Size	Quantity	Box Size
70090	White	250	38x58x34
70100	Chrome	250	38x58x34

Pipe Concealment

Petek Altı Gizleme Kılıfı

Code	Size	Quantity	Box Size
70110	White	150	38x58x34



Pipe Concealment


Petek Altı Gizleme Kılıfı

Code	Size	Quantity	Box Size
70120	Chrome	150	38x58x34



Shower Hose Grey / Duş Hortumu

Code	Size	Quantity	Box Size
88600	120 cm	50	58X38X34
88610	150 cm	50	58X38X34
88620	180 cm	50	58X38X34



**Shower Hose White / Black
Duş Hortumu**

Code	Size	Quantity	Box Size
88650	120 cm	50	58X38X34
88660	150 cm	50	58X38X34
66670	180 cm	50	58X38X34



**Washing Machine Hose
Çamaşır Makinesi Hortumu**

Code	Size	Quantity	Box Size
809930	1,5 mt.	50	38x58x34
809935	2 mt.	40	38x58x34
809940	2,5 mt.	35	38x58x34
809945	3 mt.	30	38x58x34
809950	4 mt.	25	38x58x34
809955	5 mt.	20	38x58x34

Grilles / Menfez

Code	Size	Quantity
90010	28x28 cm	15
90015	35x40 cm	15
90020	40x44 cm	15
90025	40x52 cm	15
90030	45x48 cm	15
90035	45x56 cm	15
90040	49x52 cm	15
90045	45x64 cm	15
90050	55x56 cm	15
90055	55x64 cm	15
90060	49x68 cm	15
90065	58x60 cm	15
90070	30x50 cm	15



Notlar



komplus



www.komplus.com.tr • E-mail: info@komplus.com.tr